



BANDED CONTEMPO GLIDE

ELEVATION  
SCALE 1:25 @ A3




SECTION C-C



PROFILE


IDENTIFICATION




Note

Dimensions shown for setting-out relate to a standard door width 1075mm

SECTION A-A



SECTION B-B



Drawing Title  
Scale @ A3  
1:3  
unless stated

Banded Contempo  
Glide & Deflection

Drawn by  
S.BM

Checked  
-

Date  
20/03/17

Rev.  
04

Drawing no.  
BND-CTP-GLDF-FM

**FusionPartitions**  
Unit 6, L1 O Centre,  
Salbrook Road Industrial Estate,  
Salfords, Surrey,  
RH1 5LJ

Aluminium  
Glass  
Steel  
Gasket  
Timber  
Insulation  
Plasterboard  
Glazing Packer

Do not scale this drawing (printed or electronic versions)

This drawing is copyright  
Observance of the copyright within this drawing, between  
it and information given elsewhere, must be reported  
immediately to this office for verification before proceeding.

All works to be carried out in accordance with the latest  
British Standards Codes of Practice unless specifically  
directed otherwise in the specification.

Responsibility for the reproduction of this drawing in paper  
form, or if required in electronic format, lies with the recipient  
to check that all information has been replicated in full and  
is correct when compared to the original paper or electronic  
image.

Graphical representations of details on this drawing have  
been so indicated, but are approximate only. Please refer  
to Specifications and / or details for actual sizes.

**BSI**  
BSI  
BSI  
BSI

**IFC**  
IFC  
IFC  
IFC

**FIS**  
FIS  
FIS  
FIS

Performance Summary

System Title:	Contempo Glide Aluminium Sliding Glazed Door	Rw
Document No.	Description	
CGD-AP4	Contempo Sliding 12mm Toughened Glass Door	34 dB
CGD-AP3	Contempo Sliding 12.8mm Acoustic Safety Glass Door	36 dB